



ФЕДЕРАЛЬНАЯ СЛУЖБА ПО НАДЗОРУ В СФЕРЕ ЗДРАВООХРАНЕНИЯ  
(РОСЗДРАВНАДЗОР)

## РЕГИСТРАЦИОННОЕ УДОСТОВЕРЕНИЕ НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ

от 06 июля 2020 года № РЗН 2020/11033

На медицинское изделие  
**Ортопедические элементы для протезирования на имплантатах марки SIC  
с принадлежностями**

Настоящее регистрационное удостоверение выдано  
**"СИК инвент АГ", Швейцария,  
SIC invent AG, Birmanngasse 3, 4055 Basel, Switzerland**

Производитель  
**"СИК инвент АГ", Швейцария,  
SIC invent AG, Birmanngasse 3, 4055 Basel, Switzerland**

Место производства медицинского изделия  
**см. приложение**

Номер регистрационного досье № РД-28963/54828 от 06.09.2019

Класс потенциального риска применения медицинского изделия **2a**

Код Общероссийского классификатора продукции по видам экономической  
деятельности **32.50.22.130**

Настоящее регистрационное удостоверение имеет приложение на 9 листах



приказом Росздравнадзора от 06 июля 2020 года № 5663  
допущено к обращению на территории Российской Федерации

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**

**А.В. Самойлова**

**0050558**



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**

от 06 июля 2020 года

№ РЗН 2020/11033


Лист 1

На медицинское изделие

**Ортопедические элементы для протезирования на имплантатах марки SIC с принадлежностями:**

1. Абатменты для дентального имплантата марки SIC, варианты исполнения:
  - 1.1. Абатмент SICvantage TempFix, Provisional Abutment for Insertion Post, blue.
  - 1.2. Абатмент SICvantage TempFix, Provisional Abutment for Insertion Post, red.
  - 1.3. Абатмент SICvantage Standard Abutment grey, anterior, straight, GH 1.0 mm (incl.SICvantage Fixation Screw for grey and Impression Cap).
  - 1.4. Абатмент SICvantage Standard Abutment grey, anterior, straight, GH 2.0 mm (incl.SICvantage Fixation Screw for grey and Impression Cap).
  - 1.5. Абатмент SICvantage Standard Abutment grey, anterior, straight, GH 3.0 mm (incl.SICvantage Fixation Screw for grey and Impression Cap).
  - 1.6. Абатмент SICvantage Standard Abutment grey, anterior, 15° angle, GH 1.0 mm (incl.SICvantage Fixation Screw for grey and Impression Cap).
  - 1.7. Абатмент SICvantage Standard Abutment grey, anterior, 15° angle, GH 2.0 mm (incl.SICvantage Fixation Screw for grey and Impression Cap).
  - 1.8. Абатмент SICvantage Standard Abutment grey, anterior, 15° angle, GH 3.0 mm (incl.SICvantage Fixation Screw for grey and Impression Cap).
  - 1.9. Абатмент SICvantage Standard Abutment blue, anterior, straight, GH 1.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.10. Абатмент SICvantage Standard Abutment blue, anterior, straight, GH 2.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.11. Абатмент SICvantage Standard Abutment blue, anterior, straight, GH 3.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.12. Абатмент SICvantage Standard Abutment blue, anterior, straight, GH 5.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.13. Абатмент SICvantage Standard Abutment blue, posterior, straight, GH 1.5 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.14. Абатмент SICvantage Standard Abutment blue, posterior, straight, GH 3.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.15. Абатмент SICvantage Standard Abutment blue, posterior, straight, GH 5.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.16. Абатмент SICvantage Standard Abutment blue, anterior, 15° angle, GH 1.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).
  - 1.17. Абатмент SICvantage Standard Abutment blue, anterior, 15° angle, GH 3.0 mm (incl.SIC Standard Fixation Screw and Impression Cap).

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**



А.В. Самойлова

0070230



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 2

- 1.18. Абатмент SICvantage Standard Abutment blue, anterior, 15° angle, GH 5.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.19. Абатмент SICvantage Standard Abutment blue, posterior, 15° angle, GH 1.5 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.20. Абатмент SICvantage Standard Abutment blue, posterior, 15° angle, GH 3.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.21. Абатмент SICvantage Standard Abutment blue, posterior, 15° angle, GH 5.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.22. Абатмент SICvantage Standard Abutment blue, anterior, 25° angle, GH 1.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.23. Абатмент SICvantage Standard Abutment blue, anterior, 25° angle, GH 3.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.24. Абатмент SICvantage Standard Abutment red, anterior, straight, GH 1.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.25. Абатмент SICvantage Standard Abutment red, anterior, straight, GH 2.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.26. Абатмент SICvantage Standard Abutment red, anterior, straight, GH 3.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.27. Абатмент SICvantage Standard Abutment red, anterior, straight, GH 5.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.28. Абатмент SICvantage Standard Abutment red, posterior, straight, GH 1.5 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.29. Абатмент SICvantage Standard Abutment red, posterior, straight, GH 3.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.30. Абатмент SICvantage Standard Abutment red, posterior, straight, GH 5.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.31. Абатмент SICvantage Standard Abutment red, anterior, 15° angle, GH 1.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.32. Абатмент SICvantage Standard Abutment red, anterior, 15° angle, GH 3.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.33. Абатмент SICvantage Standard Abutment red, anterior, 15° angle, GH 5.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.34. Абатмент SICvantage Standard Abutment red, posterior, 15° angle, GH 1.5 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).
- 1.35. Абатмент SICvantage Standard Abutment red, posterior, 15° angle, GH 3.0 mm  
(incl.SIC Standard Fixation Screw and Impression Cap).

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**



**А.В. Самойлова**

**0070229**



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 3

- 1.36. Абатмент SICvantage Standard Abutment red, posterior, 15° angle, GH 5.0 mm (incl. SIC Standard Fixation Screw and Impression Cap).
- 1.37. Абатмент SICvantage Standard Abutment red, anterior, 25° angle, GH 1.0 mm (incl. SIC Standard Fixation Screw and Impression Cap).
- 1.38. Абатмент SICvantage Standard Abutment red, anterior, 25° angle, GH 3.0 mm (incl. SIC Standard Fixation Screw and Impression Cap).
- 1.39. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" blue, straight, GH 1.5 mm.
- 1.40. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" blue, straight, GH 3.0 mm.
- 1.41. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" red, straight, GH 1.5 mm.
- 1.42. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" red, straight, GH 3.0 mm.
- 1.43. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" blue, 16° angle, GH 1.5 mm (incl. SICvantage Fixation Screw, short).
- 1.44. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" blue, 16° angle, GH 3.0 mm (incl. SICvantage Fixation Screw, short).
- 1.45. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" blue, 30° angle, GH 1.5 mm (incl. SICvantage Fixation Screw, short).
- 1.46. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" blue, 30° angle, GH 3.0 mm (incl. SICvantage Fixation Screw, short).
- 1.47. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" red, 16° angle, GH 1.5 mm (incl. SICvantage Fixation Screw, short).
- 1.48. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" red, 16° angle, GH 3.0 mm (incl. SICvantage Fixation Screw, short).
- 1.49. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" red, 30° angle, GH 1.5 mm (incl. SICvantage Fixation Screw, short).
- 1.50. Абатмент SICvantage Multi-Unit Abutment "Safe on Four" red, 30° angle, GH 3.0 mm (incl. SICvantage Fixation Screw, short).
- 1.51. Абатмент SICvantage Positioning Aid 16° and 30° for SICvantage "Safe on Four".
- 1.52. Абатмент SIC Crown Base "Safe on Four", Titanium (incl. SIC Fixation Screw "Safe on Four").
- 1.53. Абатмент SIC Crown Base "Safe on Four", residue-free bun-out (incl. SIC Fixation Screw "Safe on Four").
- 1.54. Абатмент SIC Standard Abutment "Safe on Four" Ø 3.3 mm, 16° angle, GH 1.5 mm (incl. SIC Fixation Screw, short).
- 1.55. Абатмент SIC Standard Abutment "Safe on Four" Ø 3.3 mm, 30° angle, GH 1.5 mm (incl. SIC Fixation Screw, short).
- 1.56. Абатмент SIC Standard Abutment "Safe on Four" Ø 4.2 mm, 16° angle, GH 1.5 mm

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**



**А.В. Самойлова**

**0070228**



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 4

- (incl. SIC Fixation Screw, short).
- 1.57. Абатмент SIC Standard Abutment "Safe on Four" Ø 4.2 mm, 30° angle, GH 1.5 mm  
(incl. SIC Fixation Screw, short).
- 1.58. Абатмент SICvantage Milling Blank CAD/CAM grey, M-Line, GH 0.5 mm  
(incl. SICvantage Fixation Screw for grey).
- 1.59. Абатмент SICvantage Milling Blank CAD/CAM blue, M-Line, GH 0.5 mm  
(incl. SIC Standard Fixation Screw).
- 1.60. Абатмент SICvantage Milling Blank CAD/CAM red, M-Line, GH 0.5 mm  
(incl. SIC Standard Fixation Screw).
- 1.61. Абатмент SIC Milling Blank CAD/CAM, Ø 4.2 mm, M-Line, GH 0.3 mm  
(incl. SIC Standard Fixation Screw).
- 1.62. Абатмент SIC Milling Blank CAD/CAM, Ø 3.3 mm, M-Line, GH 0.3 mm  
(incl. SIC Standard Fixation Screw).
- 1.63. Абатмент SICvantage LocFix Attachment blue, GH 1.0 mm.
- 1.64. Абатмент SICvantage LocFix Attachment blue, GH 2.0 mm.
- 1.65. Абатмент SICvantage LocFix Attachment blue, GH 3.0 mm.
- 1.66. Абатмент SICvantage LocFix Attachment blue, GH 4.0 mm.
- 1.67. Абатмент SICvantage LocFix Attachment blue, GH 5.0 mm.
- 1.68. Абатмент SICvantage LocFix Attachment blue, GH 6.0 mm.
- 1.69. Абатмент SICvantage LocFix Attachment red, GH 1.0 mm.
- 1.70. Абатмент SICvantage LocFix Attachment red, GH 2.0 mm.
- 1.71. Абатмент SICvantage LocFix Attachment red, GH 3.0 mm.
- 1.72. Абатмент SICvantage LocFix Attachment red, GH 4.0 mm.
- 1.73. Абатмент SICvantage LocFix Attachment red, GH 5.0 mm.
- 1.74. Абатмент SICvantage LocFix Attachment red, GH 6.0 mm.
- 1.75. Абатмент SIC Standard Abutment Ø 4.2 mm, anterior, 25° angle, GH 1.0 mm  
(incl. SIC Fixation Screw, short).
- 1.76. Абатмент SIC Standard Abutment Ø 4.2 mm, anterior, 25° angle, GH 3.0 mm  
(incl. SIC Fixation Screw, short).
- 1.77. Абатмент SIC Standard Abutment Ø 3.3 mm, anterior, 25° angle, GH 1.0 mm  
(incl. SIC Fixation Screw, short).
- 1.78. Абатмент SIC Standard Abutment Ø 3.3 mm, anterior, 25° angle, GH 3.0 mm  
(incl. SIC Fixation Screw, short).
- 1.79. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 3.3 mm, round, GH 2.0 mm  
(incl. SIC Standard Fixation Screw).
- 1.80. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 3.3 mm, round, GH 4.0 mm

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**



А.В. Самойлова

0070227



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 5

- (incl.SIC Standard Fixation Screw).
- 1.81. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 3.3 mm, triangle, GH 2.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.82. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 3.3 mm, triangle, GH 4.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.83. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 3.3 mm, oval, GH 2.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.84. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 3.3 mm, oval, GH 4.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.85. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 4.2 mm, round, GH 2.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.86. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 4.2 mm, round, GH 4.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.87. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 4.2 mm, triangle, GH 2.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.88. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 4.2 mm, triangle, GH 4.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.89. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 4.2 mm, oval, GH 2.0 mm  
(incl.SIC Standard Fixation Screw).
- 1.90. Абатмент SIC P2F Abutment Dr. Galip Gurel Ø 4.2 mm, oval, GH 4.0 mm  
(incl.SIC Standard Fixation Screw).
2. Титановое основание для дентального имплантата марки SIC, варианты исполнения:
- 2.1. Титановое основание SIC Bonding Base CAD/CAM Ø 3.3 mm, straight, CEREC  
(incl. SIC Standard Fixation Screw).
- 2.2. Титановое основание SIC Bonding Base CAD/CAM Ø 4.2 mm, straight, CEREC  
(incl. SIC Standard Fixation Screw).
- 2.3. Титановое основание SIC Bonding Base CAD/CAM Ø 3.3 mm, straight, CEREC,  
GH 3.0 mm (incl. SIC Standard Fixation Screw).
- 2.4. Титановое основание SIC Bonding Base CAD/CAM Ø 4.2 mm, straight, CEREC,  
GH 3.0 mm (incl. SIC Standard Fixation Screw).
- 2.5. Титановое основание SICvantage Bonding Base CAD/CAM grey, straight,  
GH 0.7 mm (incl.SICvantage Fixation Screw for grey).
- 2.6. Титановое основание SICvantage Bonding Base CAD/CAM grey, straight,  
GH 0.3 mm, for bridgework (incl.SICvantage Fixation Screw for grey).
- 2.7. Титановое основание SICvantage Bonding Base CAD/CAM grey, 15° angle,  
GH 1.0 mm (incl. SICvantage Fixation Screw for grey).

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**



А.В. Самойлова

0070226



**ПРИЛОЖЕНИЕ**  
**К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ**  
**НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 6

- 2.8. Титановое основание SICvantage Bonding Base CAD/CAM grey, straight, CEREC (incl. SICvantage Fixation Screw for grey).
- 2.9. Титановое основание SICvantage Bonding Base CAD/CAM blue, straight, GH 0.7 mm (incl. SIC Standard Fixation Screw).
- 2.10. Титановое основание SICvantage Bonding Base CAD/CAM blue, straight, GH 0.3 mm, for bridgework (incl. SIC Standard Fixation Screw).
- 2.11. Титановое основание SICvantage Bonding Base CAD/CAM blue, 15° angle, GH 1.0 mm (incl. SIC Standard Fixation Screw).
- 2.12. Титановое основание SICvantage Bonding Base CAD/CAM blue, straight, CEREC (incl. SIC Standard Fixation Screw).
- 2.13. Титановое основание SICvantage Bonding Base CAD/CAM blue, straight, CEREC, GH 3.0 mm (incl. SIC Standard Fixation Screw).
- 2.14. Титановое основание SICvantage Bonding Base CAD/CAM red, straight, GH 0.7 mm (incl. SIC Standard Fixation Screw).
- 2.15. Титановое основание SICvantage Bonding Base CAD/CAM red, straight, GH 0.3 mm, for bridgework (incl. SIC Standard Fixation Screw).
- 2.16. Титановое основание SICvantage Bonding Base CAD/CAM red, 15° angle, GH 1.0 mm (incl. SIC Standard Fixation Screw).
- 2.17. Титановое основание SICvantage Bonding Base CAD/CAM red, straight, CEREC (incl. SIC Standard Fixation Screw).
- 2.18. Титановое основание SICvantage Bonding Base CAD/CAM red, straight, CEREC, GH 3.0 mm (incl. SIC Standard Fixation Screw).
3. Скан-адаптеры SIC, варианты исполнения:
- 3.1. Скан-адаптер SIC Scan Adapter 0 3.3/4.2 mm, for digital modelling of CAD/CAM Customized Milled Abutments (incl. SIC Standard Fixation Screw).
- 3.2. Скан-адаптер SICvantage Scan Adapter grey, for digital modelling of CAD/CAM Milled Abutments (incl. SICvantage Fixation Screw for grey).
- 3.3. Скан-адаптер SICvantage Scan Adapter blue, for digital modelling of CAD/CAM Milled Abutments (incl. SIC Standard Fixation Screw).
- 3.4. Скан-адаптер SICvantage Scan Adapter red, for digital modelling of CAD/CAM Milled Abutments (incl. SIC Standard Fixation Screw).
- 3.5. Скан-адаптер SIC Scan Post 0 3.3mm, CEREC, for digital modelling of CAD/CAM Customized Milled Abutments (incl. SIC Standard Fixation Screw).
4. Формирователи для дентального имплантата марки SIC, варианты исполнения:
- 4.1. Формирователь SICvantage Gingiva Shaper grey, anterior, concave, GH 1.0 mm.
- 4.2. Формирователь SICvantage Gingiva Shaper grey, anterior, concave, GH 2.0 mm.

Руководитель Федеральной службы  
по надзору в сфере здравоохранения

  
А.В. Самойлова

0070225



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 7

- 4.3. Формирователь SICvantage Gingiva Shaper grey, anterior, concave, GH 3.0 mm.
- 4.4. Формирователь SICvantage Gingiva Shaper grey, anterior, concave, GH 4.0 mm.
- 4.5. Формирователь SICvantage Gingiva Shaper grey, anterior, concave, GH 5.0 mm.
- 4.6. Формирователь SICvantage Gingiva Shaper blue, anterior, concave, GH 1.0 mm.
- 4.7. Формирователь SICvantage Gingiva Shaper blue, anterior, concave, GH 2.0 mm.
- 4.8. Формирователь SICvantage Gingiva Shaper blue, anterior, concave, GH 3.0 mm.
- 4.9. Формирователь SICvantage Gingiva Shaper blue, anterior, concave, GH 4.0 mm.
- 4.10. Формирователь SICvantage Gingiva Shaper blue, anterior, concave, GH 5.0 mm.
- 4.11. Формирователь SICvantage Gingiva Shaper blue, anterior, concave, GH 7.0 mm.
- 4.12. Формирователь SICvantage Gingiva Shaper blue, posterior, concave, GH 1.5 mm.
- 4.13. Формирователь SICvantage Gingiva Shaper blue, posterior, concave, GH 3.0 mm.
- 4.14. Формирователь SICvantage Gingiva Shaper blue, posterior, concave, GH 5.0 mm.
- 4.15. Формирователь SICvantage Gingiva Shaper blue, posterior, concave, GH 7.0 mm.
- 4.16. Формирователь SICvantage TempCap, Gingiva Shaper for Insertion Post, blue.
- 4.17. Формирователь SICvantage Gingiva Shaper red, anterior, concave, GH 1.0 mm.
- 4.18. Формирователь SICvantage Gingiva Shaper red, anterior, concave, GH 2.0 mm.
- 4.19. Формирователь SICvantage Gingiva Shaper red, anterior, concave, GH 3.0 mm.
- 4.20. Формирователь SICvantage Gingiva Shaper red, anterior, concave, GH 4.0 mm.
- 4.21. Формирователь SICvantage Gingiva Shaper red, anterior, concave, GH 5.0 mm.
- 4.22. Формирователь SICvantage Gingiva Shaper red, anterior, concave, GH 7.0 mm.
- 4.23. Формирователь SICvantage Gingiva Shaper red, posterior, concave, GH 1.5 mm.
- 4.24. Формирователь SICvantage Gingiva Shaper red, posterior, concave, GH 3.0 mm.
- 4.25. Формирователь SICvantage Gingiva Shaper red, posterior, concave, GH 5.0 mm.
- 4.26. Формирователь SICvantage Gingiva Shaper red, posterior, concave, GH 7.0 mm.
- 4.27. Формирователь SICvantage TempCap, Gingiva Shaper for Insertion Post, red.
- 4.28. Формирователь SIC Gingiva Shaper "Safe on Four" with Click.
- 4.29. Формирователь SIC Gingiva Shaper Ø 3.3 mm, concave, anterior, GH 7.0 mm.
- 4.30. Формирователь SIC Gingiva Shaper Ø 3.3 mm, concave, posterior, GH 7.0 mm.
5. Трансферы для дентального имплантата марки SIC, варианты исполнения:
  - 5.1. Трансфер SICvantage Transfer Abutment grey, reposition, short (inch SICvantage Fixation Screw for grey and Transfer Cap with Click).
  - 5.2. Трансфер SICvantage Transfer Abutment grey, reposition, long (inch SICvantage Fixation Screw for grey and Transfer Cap with Click).
  - 5.3. Трансфер SICvantage Transfer Abutment blue, reposition, short (inch SICvantage Fixation Screw and Transfer Cap with Click).
  - 5.4. Трансфер SICvantage Transfer Abutment blue, reposition, long (ind. SICvantage

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**

  
*А.В. Самойлова*  
А.В. Самойлова

0070224



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**


от 06 июля 2020 года

№ РЗН 2020/11033

Лист 8

- Fixation Screw and Transfer Cap with Click).
- 5.5. Трансфер SICvantage Transfer Abutment red, reposition, short (incl. SICvantage Fixation Screw and Transfer Cap with Click).
- 5.6. Трансфер SICvantage Transfer Abutment red, reposition, long (incl. SICvantage Fixation Screw and Transfer Cap with Click).
- 5.7. Трансфер SICvantage Transfer Abutment grey. Open Tray Technique, short (incl. SIC Fixation Screw 22.5 mm).
- 5.8. Трансфер SICvantage Transfer Abutment blue, Open Tray Technique, short (incl. SIC Fixation Screw 22.5 mm).
- 5.9. Трансфер SICvantage Transfer Abutment blue, Open Tray Technique, long (incl. SIC Fixation Screw 27.5 mm).
- 5.10. Трансфер SICvantage Transfer Abutment blue, Open Tray Technique, short, for bridgework (incl. SIC Fixation Screw 22.5 mm).
- 5.11. Трансфер SICvantage Transfer Abutment blue. Open Tray Technique, long, for bridgework (incl. SIC Fixation Screw 27.5 mm).
- 5.12. Трансфер SICvantage Transfer Abutment red, Open Tray Technique, short (incl. SIC Fixation Screw 22.5 mm).
- 5.13. Трансфер SICvantage Transfer Abutment red. Open Tray Technique, long (incl. SIC Fixation Screw 27.5 mm).
- 5.14. Трансфер SICvantage Transfer Abutment red, Open Tray Technique, short, for bridgework (incl. SIC Fixation Screw 22.5 mm).
- 5.15. Трансфер SICvantage Transfer Abutment red, Open Tray Technique, long, for bridgework (incl. SIC Fixation Screw 27.5 mm).
- 5.16. Трансфер SIC LocFix Impression Post incl. Processing Male, black.
- 5.17. Трансфер SIC Transfer Abutment "Safe on Four", Open Tray Technique (incl. SIC Fixation Screw 16.0 mm).
- 5.18. Трансфер SIC Transfer Abutment "Safe on Four" with Click.
6. Аналоги имплантатов марки SIC, варианты исполнения:
- 6.1. Аналог имплантата SICvantage Lab Implant grey.
- 6.2. Аналог имплантата SICvantage Lab Implant blue.
- 6.3. Аналог имплантата SICvantage Lab Implant red.
- 6.4. Аналог имплантата SIC LocFix Lab Implant.
7. Винт абатмента для дентального имплантата марки SIC, варианты исполнения:
- 7.1. Винт абатмента SICvantage Fixation Screw for prosthetics in grey.
- 7.2. Винт абатмента SICvantage Fixation Screw, short.
8. Колпачки для абатментов и трансферов марки SIC, варианты исполнения:

**Руководитель Федеральной службы  
по надзору в сфере здравоохранения**



*А.В. Самойлова*  
А.В. Самойлова

0070223



**ПРИЛОЖЕНИЕ  
К РЕГИСТРАЦИОННОМУ УДОСТОВЕРЕНИЮ  
НА МЕДИЦИНСКОЕ ИЗДЕЛИЕ**

от 06 июля 2020 года

№ РЗН 2020/11033

Лист 9

- 8.1. Колпачок SICvantage Impression Cap for Standard Abutments, red.
  - 8.2. Колпачок SICvantage Impression Cap for Standard Abutments, blue.
  - 8.3. Колпачок SICvantage Impression Cap for Standard Abutments, grey.
  - 8.4. Колпачок SIC Bar Coping "Safe on Four" (incl. SIC Fixation Screw "Safe on Four").
  - 8.5. Колпачок SIC LocFix Denture Cap incl. Processing Male, black.
  - 8.6. Колпачок SIC Transfer Caps with Click, 5 pieces.
  - 8.7. Колпачок SIC Transfer Caps with Click, grey, 5 pieces.
  9. Матрицы для абатментов SIC, варианты исполнения:
    - 9.1. Матрица к абатменту SIC LocFix Processing Male, 4 pieces, black.
    - 9.2. Матрица к абатменту SIC LocFix Replacement Male, 4 pieces, clear, 1.9 kg retention force.
    - 9.3. Матрица к абатменту SIC LocFix Replacement Male, 4 pieces, pink, 1.1 kg retention force.
    - 9.4. Матрица к абатменту SIC LocFix Replacement Male, 4 pieces, blue, 0.7 kg retention force.
    - 9.5. Матрица к абатменту SIC LocFix Replacement Male, extended application, 4 pieces, green, 1.8 kg retention force.
    - 9.6. Матрица к абатменту SIC LocFix Replacement Male, extended application, 4 pieces, orange, 1.1 kg retention force.
    - 9.7. Матрица к абатменту SIC LocFix Replacement Male, extended application, 4 pieces, red, 0.6 kg retention force.
- Принадлежности:
1. Позиционер абатмента SICvantage Positioning Aid 16° and 30° for SICvantage "Safe on Four".
  2. Кольцо изоляционное SIC LoxFix Block-Out Ring, 4 pieces - 4 шт./уп.
- Место производства:
1. KSP GmbH CNC-Technik, Josef-Beyerle-Straße 14, 71263 Weil der Stadt, Germany.
  2. CPM Precision GmbH, Im Rott 5-10, 69493 Hirschberg, Germany.

W

Руководитель Федеральной службы  
по надзору в сфере здравоохранения



*A.V. Samoilova*

А.В. Самойлова

0070222